



## Street Distribution Cabinet - IP55

FDF-ODC-2-X Outdoor

Designed for fiber termination and management, using 19" FIST fiber optic modular and passive equipment; FDF-ODC-2-X are outdoor metal street cabinets that provide, IP 55 rated, reliable environmental and mechanical protection; especially against dirt and dust. FDF-ODC-2-X can be installed above the ground or with the lower cabling section flushed below concrete structures.


With its practical design, front lid and side lids it makes module and cable assembly and cable management very easy. In addition, the lid has two open positions for comfortable working in harsh environments.

The 19" rack compatible design offers maximum flexibility for installing equipment that adapts next-generation requirements; with cable management drums.



## Properties

- Swing handle with lock and key.
- Painted (powder coated) in light-grey (RAL-7035).
- Levelling or height adjuster legs.
- Easy and time-saving installations.
- Compact and safe design.
- Confirms 19" or ETSI installations.
- Side duct Cable attachment plates can be mounted left, right, top or bottom.
- Wall mounting: stand alone or multiple side-to-side mounting.
- Back-to-back mounting.
- Easy adaptation to specific applications by variation of the rack configuration, the shelf configuration and routings of pigtails and jumpers.
- Easy access to cables, pigtails and jumpers during installation, maintenance and upgrade.
- Bend control on all fiber routing.
- Horizontal and vertical patchcord management for storage of functional patchcord over length.
- Horizontal and vertical patchcord storage excess patchcord over length between the shelves and either the equipment or adjacent racks.
- High density side access type of modules is also designed to fit a variety of termination, splice, and storage applications.
- ETSI mounting profiles with cage nuts for shelf mounting are provided at the rear of the rack, allowing optimal access from the front.



3U Standard Shelves

Qty: 6 - Height: 125mm - 72 ETSI Units

### Standard Accessories

Cable attachment plate with C-profile




Wall Connection Kit




### Optional Accessories


Cable Management Drums



Cable Connection Plate



Cable Management Drums



Cabinet Bottom Base



### Optional Accessories


Elevation Base



Triple Joint for Spiral Cable Pipe



## Splitter Connection Modules



1U - Module: 4 OCM5 Module Capacity

2U - Module: 8 OCM5 Module Capacity

3U - Module: 12 OCM5 Module Capacity

4U - Module: 18 OCM5 Module Capacity